

Amendments to the Claims:

Cancel claims 1-12, without prejudice.

The following listing of claims will replace all prior versions and listings of claims in the application:

1.-12. (canceled)

13. (new) An attachment device for a slide channel for a door closer, the attachment device comprising:

a clamping piece insertable into an end of the slide channel, the clamping piece having a first outside surface and a first toothing on the first outside surface; and

a connecting plate integrally formed with the clamping piece and having a bore by which the connecting plate can be connected to a sub-construction,

wherein when the clamping piece is inserted into the end of the slide channel, the connecting plate is disposed outside of the slide channel, and the first toothing abuts against a first inside surface of the end of the slide channel by press fit so that the clamping piece is detachably interlocked with the slide channel.

14. (new) The attachment device of claim 13, wherein the clamping piece has a second outside surface opposite to the first outside surface, and a second toothing on the second outside surface, the end of the slide channel has a second inside surface opposite to the first inside surface, and the second toothing abuts against the second inside surface when the clamping piece is inserted into the end of the slide channel.

15. (new) The attachment device of claim 13, wherein the first toothing is an inclined toothing.

16. (new) The attachment device of claim 14, wherein each of the first and second toothings is an inclined toothing.

17. (new) The attachment device of claim 13, wherein the connecting plate has a stop face which abuts against an end surface of the end of the slide channel when the clamping piece is inserted into the end of the slide channel.

18. (new) The attachment device of claim 13, wherein the slide channel has an outside surface facing the sub-construction, and the connecting plate has a first surface which abuts against the sub-construction and extends flush with the outside surface of the slide channel when the clamping piece is inserted into the end of the slide channel.

19. (new) The attachment device of claim 18, wherein the connecting plate has a locking component for clampingly connecting a cover cap which, when the clamping piece is inserted into the end of the slide channel, covers the connecting plate and the end surface of the slide channel.

20. (new) The attachment device of claim 19, wherein the connecting plate has two opposite lateral surfaces which extend orthogonally to the first surface, at least one of the lateral surfaces has at least one of a projection and a recess.

21. (new) The attachment device of claim 20, wherein the at least one of a projection and a recess of the connecting plate constitutes the locking component for at least one of a recess and a projection of the cover cap.

22. (new) The attachment device of claim 13, wherein the bore has an oblong shaped cross section.

23. (new) The attachment device of claim 13, being comprised of a plastic material.

24. (new) The attachment device of claim 13, being comprised of an aluminium material.

25. (new) The attachment device of claim 13, being comprised of zinc.

26. (new) The attachment device of claim 25, being made by die casting.